SPDH

MINI PATIO DOOR HEATER

3 YEAR WARRANTY

STRENGTH AND SAFETY COMBINED

The SPDH model is the perfect example of a small electric baseboard heater that's a big hit in the world of heaters. The challenge: the patio door threshold. The accomplishment: traffic-resistant durability. At just 3 in. in both depth and height, the strength of the SPDH will surprise you. With its rounded front cover, this baseboard heater has a heat output of 150 W per linear foot.

- **COMPACT AND ROBUST (3 IN. × 3 IN.)** PERFECT UNDER PATIO DOORS AND LARGE WINDOWS
- **DENSITY OF 150 W PER LINEAR FOOT**
- **BLANK SECTIONS AVAILABLE** FOR A CONTINUOUS LOOK

ROUNDED CORNERS

IDEAL FOR:
below a patio door or a window, solarium

COLOURS

- **standard:** white
- **Orora (optional):** refer to stelpro.com/orora/

FINISH

- epoxy-polyester powdercoat

MANUFACTURING

- 3 in. x 3 in. compact profile
- solid, 18-gauge steel cabinet and front that may be used as a step
- thermal protection with automatic reset
- full-length wireway
- pencil-proof openings of less than 1/4 in. (6.4 mm) prevent foreign objects from entering the unit

ELEMENT

- single tubular, stainless steel sheathed element with boxed aluminum fins for improved heat dissipation; the element is securely fastened at its centre, floating in nylon sleeves at each end, eliminating expansion and contraction noises

CONTROL

- wall thermostat (not included) – the use of an electronic thermostat is strongly recommended
- built-in thermostat accessible without removing front grille, installed in the left junction box only (optional)
- low voltage relay kit installed in the left junction box only (optional)

INSTALLATION

- surface mounted
- wall or floor mounted with or without pedestal kit (optional)
- wiring compartment at both ends of unit
- blank sections (custom lengths) and accessories are available for a continuous look (optional)

WARRANTY

- three years

FC_SPDH_EN_220526

STELPRO

Stelpro reserves the right to modify at any time the description, manufacturing, or price of its products. Additionally, Stelpro may apply restocking fees or refuse a refund based on one or more of the following criteria: optional color, custom product, assembly with low-demand options. For the latest product information and prices regarding the products, please visit the website www.stelpro.com.

TECHNICAL SPECIFICATIONS

150 W PER LINEAR FOOT		VOLTAGE	LENGTH		WEIGHT		PRICE
CODE	WATTS	VOLTS	MM	IN.	KG	LB	
SPDH6031W	300	120	600	23 5/8	2.7	6	**362.00**
SPDH6038W	300	208	600	23 5/8	2.7	6	**362.00**
SPDH6032W	300/225	240/208	600	23 5/8	2.7	6	**362.00**
---	300	347	600	23 5/8	2.7	6	**---**
---	300	600	600	23 5/8	2.7	6	**---**
SPDH9041W	450	120	900	35 7/16	3.6	8	**390.00**
SPDH9048W	450	208	900	35 7/16	3.6	8	**390.00**
SPDH9042W	450/340	240/208	900	35 7/16	3.6	8	**390.00**
SPDH9043W	450	347	900	35 7/16	3.6	8	**390.00**
---	450	600	900	35 7/16	3.6	8	**---**
SPDH12061W	600	120	1200	47 1/4	4.5	10	**432.00**
SPDH12068W	600	208	1200	47 1/4	4.5	10	**432.00**
SPDH12062W	600/450	240/208	1200	47 1/4	4.5	10	**432.00**
SPDH12063W	600	347	1200	47 1/4	4.5	10	**432.00**
---	600	600	1200	47 1/4	4.5	10	**---**
SPDH15071W	750	120	1500	59 1/16	5.4	12	**471.00**
SPDH15078W	750	208	1500	59 1/16	5.4	12	**471.00**
SPDH15072W	750/560	240/208	1500	59 1/16	5.4	12	**471.00**
SPDH15073W	750	347	1500	59 1/16	5.4	12	**471.00**
SPDH15076W	750	600	1500	59 1/16	5.4	12	**471.00**
SPDH18091W	900	120	1800	70 7/8	6.8	15	**539.00**
SPDH18098W	900	208	1800	70 7/8	6.8	15	**539.00**
SPDH18092W	900/675	240/208	1800	70 7/8	6.8	15	**539.00**
SPDH18093W	900	347	1800	70 7/8	6.8	15	**539.00**
SPDH18096W	900	600	1800	70 7/8	6.8	15	**539.00**
SPDH21101W	1050	120	2100	82 11/16	8.2	18	**577.00**
SPDH21108W	1050	208	2100	82 11/16	8.2	18	**577.00**
SPDH21102W	1050/790	240/208	2100	82 11/16	8.2	18	**577.00**
SPDH21103W	1050	347	2100	82 11/16	8.2	18	**577.00**
SPDH21106W	1050	600	2100	82 11/16	8.2	18	**577.00**
SPDH24121W	1200	120	2400	94 1/2	9.5	21	**616.00**
SPDH24128W	1200	208	2400	94 1/2	9.5	21	**616.00**
SPDH24122W	1200/900	240/208	2400	94 1/2	9.5	21	**616.00**
SPDH24123W	1200	347	2400	94 1/2	9.5	21	**616.00**
SPDH24126W	1200	600	2400	94 1/2	9.5	21	**616.00**
SPDH27138W	1350	208	2700	106 5/16	10.4	23	**674.00**
SPDH27132W	1350/1010	240/208	2700	106 5/16	10.4	23	**674.00**
SPDH27133W	1350	347	2700	106 5/16	10.4	23	**674.00**
SPDH27136W	1350	600	2700	106 5/16	10.4	23	**674.00**

Consult the optional colours chart or contact your Stelpro representative for all other colours.
Models also available in 277 V and 480 V.
--- not available

ACCESSORIES

PRODUCT	DESCRIPTION	PRICE
SPDHT12	built-in tamper-proof single pole thermostat	**222.00**
SPDHRE153	built-in electronic low voltage relay [15 A @ 120 V-347 V]	**146.00**
SPDHRE156	built-in electronic low voltage relay [6 A @ 600 V]	**329.00**
SPDHRE153T*	built-in electronic low voltage relay c/w transformer 24 V [15 A @ 208 V-347 V]	**166.00**
PK1W	pedestal kit (kit of two)	**194.00**
SPDHJSW	joiner strip (2 in. – 51 mm)	**101.00**
SPDHIC90W	inside corner (back measures 5 7/8 in. (149 mm) long on each side)	**236.00**
SPDHOC90W	outside corner (back measures 5 7/8 in. (149 mm) long on each side)	**236.00**
SPDHCBW*	clean back (fully finished, no mounting holes or knockouts)	**136.00**

Electronic relays can receive a PWM (pulsed width modulation) or digital (on/off) signal.
* Factory installation required.

* Transformer is supplying 27.5 Vac to thermostat when triac is used at 347 Vac. Here is the voltage supplied by the transformer when triac is used at other voltages:

VOLTAGE TRIAC			
347 Vac	**277 Vac**	**240 Vac**	**208 Vac**
27.5 V	**21.2 V**	**19.0 V**	**16.5 V**

Stelpro reserves the right to modify at any time the description, manufacturing, or price of its products. Additionally, Stelpro may apply restocking fees or refuse a refund based on one or more of the following criteria: optional color, custom product, assembly with low-demand options. For the latest product information and prices regarding the products, please visit the website www.stelpro.com.

TECHNICAL DRAWINGS



FRONT



SIDE



TOP



THERMOSTAT

Stelpro reserves the right to modify at any time the description, manufacturing, or price of its products. Additionally, Stelpro may apply restocking fees or refuse a refund based on one or more of the following criteria: optional color, custom product, assembly with low-demand options. For the latest product information and prices regarding the products, please visit the website www.stelpro.com.